

Payment Card Industry 3-D Secure (PCI 3DS)

Attestation of Compliance For use with PCI 3DS Core Security Standard v1.0 Revision 1.0

December 2017

Section 1: 3DS Assessment Information

Instructions for Submission

This Attestation of Compliance must be completed as a declaration of the results of the 3DS entity's assessment with the *PCI 3DS Security Requirements and Assessment Procedures for EMV® 3-D Secure Core Components: ACS, DS, and 3DS Server* (PCI 3DS Core Security Standard). Complete all sections. The 3DS entity is responsible for ensuring that each section is completed by the relevant parties, as applicable. Contact the payment brands for PCI 3DS reporting and submission procedures.

| Part 1. 3DS Entity and 3DS As | sessor Inform | ation | | | | | |
|----------------------------------|---|--------------|--|--|---------------|-------|-------|
| Part 1a. 3DS Entity Organization | n Information | | | | | | |
| Company Name: | · · · | | DBA (doing business as): | | - | | |
| Contact Name: | Isabelle van de Wyer | | Title: Informatio Officer | | on Security | | |
| Telephone: | +32/499.58.53.97 | | E-mail: <u>isabelle.v</u> dline.com | | andewyer@worl | | |
| Business Address: | Textilgatan 31 | | City: Stockholm | | | | |
| State/Province: | - | Country: | Sweden Z | | Zip: | 12030 | |
| URL: | https://www.worldline.com | | | | | | |
| Part 1b. 3DS Assessor Compan | y Information | | | | | | |
| Company Name: | usd AG | | | | | | |
| Lead 3DS Assessor Contact Name: | Christopher Kristes Title: PCI 3DS Assessor | | | | | | |
| Telephone: | +49 6102 8631-305 E-mail: <u>christopher.kristes@</u> | | <u>usd.de</u> | | | | |
| Business Address: | Frankfurter Str. Haus C1 | . 233, | City: Neu-Isenburg | | | | |
| State/Province: | - | Country: | Germany | | | Zip: | 63263 |
| URL: | https://www.us | <u>d.de/</u> | | | | | |

| Part 2. Executive Summary | | | | | |
|--|--|--|--|--|--|
| Part 2a. 3DS Functions | | | | | |
| Identify the 3DS Function(s) covered by this 3DS assessment (Check all that apply) | Details of EMVCo Letter of Approval (LOA): | | | | |
| ☐ 3DS Server (3DSS) | LOA reference number: 3DS_LOA_SER_IECS_020200_00745 | | | | |
| | Date of LOA issued by EMVCo: August 16, 2023 | | | | |
| | Name of product LOA issued for: Worldline e-Commerce Solutions | | | | |
| Access Control Server (ACS) | LOA reference number: | | | | |
| | Date of LOA issued by EMVCo: | | | | |
| | Name of product LOA issued for: | | | | |
| Directory Server (DS) | LOA reference number: | | | | |
| | Date of LOA issued by EMVCo: | | | | |

PCI 3DS Core Security Standard v1.0 – Attestation of Compliance, Rev. 1.0 © 2017 PCI Security Standards Council, LLC. All Rights Reserved.



| | Name of product LOA issued for: |
|---|--|
| Other (As defined by a payment brand) | |
| Note: If your organization performs 3DS functions payment brand about validation for the other funct | that are not covered by this assessment, consult the applicable ions. |
| Part 2b. Description of 3DS Business | |
| How and in what capacity does your business provide/manage 3DS functions? | Worldline Acceptance provides 3-D Secure authentication services to ensure Cardholder Authentication according to 3-D Secure (MasterCard Identity Check / verified by Visa) standard for e-commerce authorizations. The 3-D Secure authentication is provided as 3-D Secure Server (3DSS) server component. |

Part 2c. Locations

List types of facilities (for example, corporate offices, data centers) and a summary of locations covered by the PCI 3DS assessment.

| Type of facility | Number of facilities of this type | Location(s) of facility (city, country) |
|----------------------|--------------------------------------|---|
| Example: Data Center | 3 | Boston, MA, USA |
| Office facility | 1 | Office at Textilgatan 31 Stockholm SE- 12030, Sweden |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Part 2d.

Not used for this AOC

| Part 2e. Description of Environment | | | | | |
|--|---|--|--|--|--|
| Provide a <i>high-level</i> description of the environment covered by this assessment. | Worldline Acceptance collects 3DS transaction data via its 3DS server service. The data is | | | | |
| For example:Connections into and out of the 3DS environment (3DE).Critical system components within the 3DE, such as 3DS | received from the connected web shops of Worldline licensed partners and then forwarded to the Directory Servers (DS). Only card-not present transactions are supported. | | | | |
| servers, databases, web servers, etc., and any other necessary 3DS components, as applicable. | The environment consists of the following system components: | | | | |
| | Network infrastructure, firewalls, routers, switches | | | | |
| | 3DSS Payment application | | | | |
| | Operating systems & database servers | | | | |
| | Crypto-Services | | | | |



| Does your business use network segmentation to affect the scope of your 3DS | 🛛 Yes | □ No |
|---|-------|------|
| environment? | | |

Part 2g. Summary of requirements tested to the PCI 3DS Security Standard

| Did the 3DS entity leverage a PCI DSS assessment to meet the PCI 3DS Part 1: | 🛛 Yes |
|--|-------|
| Baseline Security Requirements? | |

Identify the appropriate assessment result for each high-level PCI 3DS requirement. Complete the table as follows:

- If the results of a PCI DSS assessment have been verified as meeting all the PCI 3DS Part 1 Requirements:
 - Select "In Place per PCI DSS" for the 3DS Part 1 Requirements.
 - Select the appropriate finding for each PCI 3DS Part 2 Requirement.
- If a PCI DSS assessment is not being leveraged to meet all the PCI 3DS Part 1 Requirements:
 - Select the appropriate finding for each 3DS Part 1 and Part 2 Requirement.

When determining the appropriate finding for each high-level 3DS requirement, the following principles apply:

- 1. If the finding for any requirement or sub-requirement is "Not in Place", select "Not in Place" for the high-level requirement.
- 2. If the finding for any requirement or sub-requirement is "N/A" and all other requirements are "In Place", select "In Place" for the high-level requirement.
- 3. If the finding for any requirement or sub-requirement is "In Place w/CCW" and all other requirements are "In Place", select "In Place w/CCW" for the high-level requirement.
- 4. If the findings include one or more requirements or sub-requirements as "N/A", and one or more as "In Place w/CCW", and all other requirements are "In Place", select "In Place w/CCW" for the high-level requirement.
- 5. If all requirements and sub-requirements are identified as "In Place", select "In Place" for the high-level requirement.

□ No



| Summary of Findings | | In Place per PCI DSS | | In Place | In Place w/CCW | N/A | Not in Place |
|-----------------------------------|--|----------------------------|----|-------------|-------------------|-------------|-----------------|
| Part 1: | Baseline Security Requirements | | | | | | |
| P1-1 | Maintain security policies for all personnel | | | | | | |
| P1-2 | Secure network connectivity | | | | | | |
| P1-3 | Develop and maintain secure systems | | | | | | |
| P1-4 | Vulnerability management | \square | OR | | | | |
| P1-5 | Manage access | | | | | | |
| P1-6 | Physical security | | | | | | |
| P1-7 | Incident response preparedness | | | | | | |
| Part 2: 3DS Security Requirements | | | | | | | |
| P2-1 | Validate scope | | | \boxtimes | | | |
| P2-2 | Security governance | | | \boxtimes | | | |
| P2-3 | Protect 3DS systems and applications | | | | | | |
| P2-4 | Secure logical access to 3DS systems | | | | | | |
| P2-5 | Protect 3DS data | | | | | | |
| P2-6 | Cryptography and key management | | | | | | |
| P2-7 | Physically secure 3DS systems | | | | | \boxtimes | |



Section 2: Report on Compliance

This Attestation of Compliance reflects the results of an onsite PCI 3DS assessment, which is documented in an accompanying 3DS Report on Compliance (ROC).

| The assessment documented in this attestation and in the 3DS ROC was completed on: | 6 May 2024 | |
|--|------------|------|
| Was PCI DSS used to meet PCI 3DS Part 1: Baseline Security Requirements? | 🛛 Yes | 🗌 No |
| Have compensating controls been used to meet any PCI 3DS requirement? | 🗌 Yes | 🖾 No |
| Were any PCI 3DS requirements identified as being not applicable (N/A)? | 🛛 Yes | 🗌 No |
| Were any PCI 3DS requirements unable to be met due to a legal constraint? | 🗌 Yes | 🖾 No |



Section 3: Validation and Attestation Details

Part 3. PCI 3DS Validation

This AOC is based on results noted in the 3DS ROC dated 6 May 2024.

Based on the results documented in the 3DS ROC noted above, the signatories identified in Parts 3b-3d, as applicable, assert(s) the following compliance status for the entity identified in Part 2 of this document (*check one*):

| Affected Requirement | Details of how legal constraint prevents requirement being met | | | |
|--|--|--|--|--|
| If checked, complete the following: | | | | |
| Compliant but with Legal exception: One or more requirements are marked "Not in Place" due to legal restriction that prevents the requirement from being met. This option requires additional review from the applicable payment brand(s). | | | | |
| An entity submitting this form with a status of Non-Compliant may be required to complete the Action Plan in Part 4 of this document. <i>Check with the applicable payment brand(s) before completing Part</i> | | | | |
| Target Date for Compliance: | | | | |
| answered affirmatively, resulting | ons of the PCI 3DS ROC are complete, or not all questions are ig in an overall NON-COMPLIANT rating, thereby <i>(3DS Entity Company</i> ull compliance with the PCI 3DS Core Security Standard. | | | |
| Compliant: All sections of the PCI 3DS ROC are complete, all questions answered affirmatively, resulting in an overall COMPLIANT rating; thereby <i>Worldline Acceptance</i> has demonstrated full compliance with the PCI 3DS Core Security Standard. | | | | |

Part 3a. Acknowledgement of Status

Signatory(s) confirms:

(Check all that apply)

| | The 3DS ROC was completed according to the PCI 3DS Core Security Standard, Version <i>1.0</i> , and was completed according to the instructions therein. |
|-------------|--|
| | All information within the above-referenced 3DS ROC and in this attestation fairly represents the results of my assessment in all material respects. |
| | I have read the PCI 3DS Core Security Standard and I recognize that I must maintain compliance, as applicable to my environment, at all times. |
| \boxtimes | If my environment changes, I recognize I must reassess my environment and implement any additional PCI 3DS requirements that apply. |
| \boxtimes | ASV scans are being completed by the PCI SSC Approved Scanning Vendor Beyond Security |



Part 3b. 3DS Entity Attestation

| DocuSigned by: | | |
|--|-------------------------------|--|
| Geert Van De Wielle | | |
| Signature of 3DS Entity Executive Officer ↑ | Debee1485 Date: 6 May 2024 | |
| 3DS Entity Executive Officer Name: Geert Van De Wielle | Title: Merchant Services CISO | |

Part 3c. 3DS Assessor Acknowledgement

DocuSigned by:

| 744594625601459 | | | | |
|---|------------------------------|--|--|--|
| Signature of Duly Authorized Officer of 3DS Assessor Company \checkmark | Date: 6 May 2024 | | | |
| Duly Authorized Officer Name: Christopher Kristes | Title: Lead PCI 3DS Assessor | | | |
| 3DS Assessor Company: usd AG | | | | |



Part 4. Action Plan for Non-Compliant Requirements

Select the appropriate response for "Compliant to PCI 3DS Requirements" for each requirement. If you answer "No" to any of the requirements, you may be required to provide the date your Company expects to be compliant with the requirement and a brief description of the actions being taken to meet the requirement.

Check with the applicable payment brand(s) before completing Part 4.

| PCI 3DS Requirement | | 3DS Requ | nt to PCI uirements et One) | Remediation Date and Actions (If "NO" selected for any Requirement) |
|---------------------|--|----------|-----------------------------------|---|
| | | YES | NO | Requirement) |
| P1 | Maintain security policies for all personnel | | | |
| | Secure network connectivity | | | |
| | Develop and maintain secure systems | | | |
| | Vulnerability management | | | |
| | Manage access | | | |
| | Physical security | | | |
| | Incident response preparedness | | | |
| P2 | Validate scope | | | |
| | Security governance | | | |
| | Protect 3DS systems and applications | | | |
| | Secure logical access to 3DS systems | | | |
| | Protect 3DS data | | | |
| | Cryptography and key management | | | |
| | Physically secure 3DS systems | | | |

